3 AT UT, 0.

Sharinov, S. "The oris of state, direction, and prospects of the development of animal has andry in the western oblasts of the Kazakh SSR" (from a paper fiven at the 1th (arrigov) ression of the Academy of Sciences of the Kazakh STM), Jostnik Akad. nauk Kazakh. SSR, 19h9, No. 2, p. 86-91

So: U-3261, 10 April 53, (Letopis'zhurnal 'nykh State/, No. 12, 19h9

SHARIPOV, S. (Tashkent)

Abundant bearing in a grape "school." Friroda 49 no.10:113 0 '60.
(WIRA 13:10)

(Viticulture)

SHARIPOV, So. was lumberneys uchitel' proftekhobrazovaniya

New loader of raw cotton. Prof. tekh.obr. 19 no.3:12 Nr 162.
(MHA 15:4)

i. Leninabadskoye professional'no-tekhnicheskoye uchilishche No.2

iben! Wh.a. Gagarina, Tadahikskaya SSR.
(Cetton machinery)

MAPTANOV, V., LOS', A., PROTERIO), F., SHARIPOV, S., zesluzhennyy uchivel:

profiteknourazovaniya Tadenikskoğ SSR


News from schools. Prof. tekh.obr. 19 no.4:32 Ap 162.

(MTMA 15:4)

1. Direktor uchilishcha mekhanizatsii selishogo khozyaystva

No.3, Yus'vinckiy rayon Permekoy oblasti (for Ket'yanov).

(Vocational education)



SHARIPOV, S., zasluzhennyy uchitel¹ professional¹no-tekhnicheskogo obrazovaniya Tadzhikskoy SSR, Dushanbe.

By their own means. Prof.-tekh. obr. 20 no.3:11 Mr '63. (MIRA 16:3) (Tajikistan-Vocational education) (Tajikistan-Student activities)

SHARIPOV, Sh.

Rotational states of an odd nucleus with slight nonaxiality whose outer nucleon is in the state j = 9/2. Izv. AN Uz. SSR. Ser. fiz.-mat. nauk 7 no.2:93-96 '63. (MIRA 16:6)

1. Institut yadernoy fiziki AN UzSSR. (Nuclear spin)

"APPROVED FOR RELEASE: 08/23/2000	CIA-RDP86-00513R001548620001-4
	₀₁₆₆ /64/000/006/0059/0062
	-66/64/000/006/003
ENT(1)/ENT(0)	ven b
1. Zuman NR:	angitions between
ACCESSION Sh.	tic train
ACCESSION Sharipov, Sh. AUTHOR: Sharipov, Sh. arobability of electromagne	onaxia
L 26666-65 ENT(1)/ENT(m) ACCESSION NR: AP5003311 AUTHOR: Sharipov, Sh. AUTHOR: On the probability of electromagne TITLE: On the probability of with small no	ko-matematici
1	
excited uzssR. Izvestly	ited state, out
70 -00%: -0-00%	
no. 6, 190 loctromagnetic moment, colle	ababilities of (n = 0)
EZ electronic moments	duced production the ground
ass axial symmetry	ates with of the control s
Juc The author between with	out that in the probability
ABSTRACT transitude Dan pointed), where slimsic quadrup
TOPIC TAGS: electromagnetic transitions of an external nucleon. SOURCE: SOURCE: 1964, 5990 TOPIC TAGS: electromagnetic transitions and the reaction and successful transitions and the reaction and successful transitions between with the transition and successful transitions. TOPIC TAGS: electromagnetic transition and the reaction and the reac	egative Inc.
TOPIC TAGS. ASS axial symmetry, quadrer axial symmetry, quadrer The author calculates the residual symmetry. ABSTRACT: The author calculates the residual symmetry. The author calculates between the stage of th	
earlier par calculated for	
The state of the s	
Card 1/2	
	74000000
অসমতার সময়ের সামের প্রতিষ্ঠান করিব করে। সামের সামের সামের সামের সামের সামের বিশ্ব করে। বিশ্ব বার্যার সামের স	da estre recorde de sus recolados ser elegados de albora en en el como de la

SHARIPOV, Sh.

Excited states of axial odd atomic nuclei. Izv. AN Uz.SSR. Ser. fiz.-mat. nauk 9 no.5:71-79 '65. (MIRA 18:11)

1. Institut yadernoy fiziki AN UzSSR. Submitted March 3, 1965.

On the theory of rotational states of odd nuclei with slight non-axiality. Vest. Mosk. un. Ser. 3: Fiz., astron. 18 no. 1838-12 Jan 63.

(MIRA 16:5)

1. Kafedra elektrodinamiki i kvantowy teorii Moskovskogo universiteta.

(Nuclear spin)

s/188/63/000/001/006/014

AUTHOR:

Sharipov, Sh.

TIPLE:

On the theory of the rotational states of odd nuclei with

small nonaxialities

PERIODICAL: Moscow. Universitet. Vestnik. Seriya III. Fizika,

astronomiya, no. 1, 1963, 38 - 42

TEXT: Nuclei having a negative quadrupole moment are studied, these being nuclei whose core is an elongated ellipsoid of revolution admitting only negative values of the parameter & defined by A. S. Davydov and R. A. Sardaryan (ZhETF, 40, 1429, 1961) as the ratio which the rotation energy bears to the binding energy of the external nucleon with the nonspherical part of the potential of the nuclear core. A calculation is made of the dependence on f of the energy spectrum of the excited states of odd nuclei having spins 5/2 and 7/2 in the ground state. The spins and the energy

levels of the Gd 109 and 1 131 nuclei were calculated by the method developed by Davydov and Sardaryan. A comparison with experimental data shows satisfactory results (D. Strominger, I. M. Hallander, G. T. Slabard, Rev. Mod. Card 1/2

On the theory of the rotational ...

S/188/63/000/001/006/014 B104/B102

Phys., 30, 585, 1958). The reduced probabilities of the electric quadrupole and magnetic dipole transitions between the excited states of the nuclei having the above-mentioned spins in the ground state and f = -0.60and j = -0.54 are given in tables. Results: In odd nuclei with negative quadrupole moment the lowest excited states have no simple Bohr-Mottelson rotational bands. In these calculations no account is taken of adiabatic corrections for rotational states. There are 2 figures and 4 tables.

ASSOCIATION: Kafedra elektrodinamiki i kvantovoy teorii (Department of

Electrodynamics and Quantum Theory)

SUBMITTED:

May 17, 1962

Card 2/2

s/0166/63/000/002/0093/0096

ACCESSION NO: AP3000227

AUTHOR: Sharipov, Sh.

TITLE: Rotational state in slightly nonaxial odd-nuclei with outer nucleon in state j=9/2

SOURCE: AN UZSSR. Izv. Seriya fiziko-matem. nauk, no. 2, 1963, 93-96

TOPIC TAGS: quadrupole moment, fundamental state spin, odd nuclei, rotation band, lowest excitation state, transition probability

ABSTRACT: Results of calculations for nuclei with positive and negative intrinsic quadrupole moments in which fundamental state spin is equal to 9/2 are given graphically. In addition, the spin and energy levels of odd-nuclei TC 101, TC 95, the spin and energy levels of odd-nuclei with negative quadrupole moments do not form simple Bohr-Mottelson rotation bands in their lowest rupole moments do not form simple Bohr-Mottelson rotation bands in their lowest rupole moments at the spin simple Bohr-Mottelson of electromagnetic transition excitation states. A brief analysis is given of electromagnetic transition probabilities between rotational states for nuclei with fundamental state spin 9/2. The results are given for quadrupole electric and dipole magnetic transitions. Orig. art. has: 4 tables, 2 figures, and 2 formulas.

Const Ruclear Physics AS UZ 55R

Shaharow, Sha.

Theory of equator states of end nuclei with slight nonamiality.

157. AN Uz. Referency flank: AN Unsur.

1. Institute yarerray flank: AN Unsur.

SHARLEN, Sh.

Probability of electromagnotic transitions netween the excited states of odd nuclei with slight nonextailty, Izv. AN Uz. SSR. Ser. Fiz.-mat. nauk 8 nc.b:59.62 (64. (MIRA 18:3))

A. Institut yadamnoy fiziki AN UZSSR.

SHARIPOV, S.K.

Effect of ecological conditions on growth buds in pears.
Uzb.biol.zhur. no.4:61-65 '59. (MIRA 13:1)

1. Institut sadovodstva i vinogradarstva im. R.R.Shredera.
(Pear) (Buds)


LATIPOV, Kh.R.; SHARIPOV, Sh.R.

Coexistence of singular points of the equation

$$\frac{dy}{dx} = \frac{b_{10}x + b_{01}y + Q_{n}(x, y)}{a_{10}x + o_{10}y + \frac{p_{n}(x, y)}{n}}$$

coexistence of singular points $\frac{dy}{dx} = \frac{b_{10}x + b_{01}y + Q_n(x, y)}{a_{10}x + o_{10}y + p_n(x, y)}$ on the entire surface. Trudy Sam. Gos. un. no.144:63-75 164.

(MIRA 18:9)



LATIPOV, Kh.R.; SHARIPOV, Sh.R.

Studying the characteristics of the equation

$$\frac{dy}{dx} = \frac{b_{10}x + b_{01}y + Q_{3}(x, x)}{a_{10}x + a_{01}y + P_{3}(x, y)} \text{ on a Poincare sphere.}$$

Izv. AN Uz. SSR. Ser. fiz.-mat. nauk 7 no.3:13-17 '63. (MIRA 16:8)

1. Institut matematiki imeni V.N. Romanovskogo AN UzSSR.

SHARIPOV, Sh.R. (Samarkand)

Study of characteristics in the large. Izv.vys.ucheb.zav.; mat. (MIRA 18:3)

no.1:180-183 '65.

SHARIFOV, T.Ym.

Simplified calculations for the fastening of cargo on open freight cars. Trudy TASHIIT no.18:41-56 '61. (MIRA 18:3)


SHARIPOV, U.

We have a high respect for builders. Mast.ugl. 8 no.2:19
F '59.

1. Predsedatel' profsoyuznogo komiteta shakhty No.10 tresta
Suchanugol'.

(Suchan Basin-Labor and laboring classes-Dwellings)

(Trade unions)



THE RESERVE OF THE PROPERTY OF

15-6400

S/081/61/000/021/073/094 B138/B101

AUTHORS:

Semenido, Ye. G., Sharipov, V. I.

TITLE:

Oils produced by the new method, and their effect on engine

wear

PERIODICAL:

Referativnyy zhurnal. Khimiya, no. 21, 1961, 405, abstract

21M111(Tr. 3-y Vses. konferentsii po treniyu i iznosu v

mashinakh, M., AN SSSR, v. 3, 1960, 321 - 328)

TEXT: Using low-viscosity high-molecular petroleum and synthetic hydrocarbons of a certain composition, automobile engine oils - Ak3n-6 (AKZp-6) and Ak3n-10 (AKZp-10)- and diesel engine oil AMT-14n (AMT-14p) have been produced by a new method which eliminates evaporation in the engines. Bench and operational trials of these new oils show them to be better than the ordinary ones. Trials with AKZp-10 in automobiles working throughout all the seasons of the year show that engine wear is considerably less with this oil than with the ordinary different winter and summer grades. In diesels, AMT-14p also gives better results as regards engine wear. [Abstracter's note: Complete translation.]

/B

SHARKOV, V.1.; KUYBINA, N.I.; SOLOV'YEVA, Yu.P.; GVOZDEVA, E.N.; ARTEM'YEVA, I.S.

Chemical composition of the corncob. Gidroliz. I lesokhim.prom.

15 no.2:7-8 '62. (MIRA 18:3)

HOUSE THE STATE OF THE PROPERTY OF THE PROPERT

l. Gosudarstvennyy nauchno-issledovatel'skiy institut gidroliznoy
i sul'fitnc-spirtovoy promyshlennosti.

SHARKOV, V.I.; LEVANOVA, V.P.


Relation between the specific gravity of cellulose and its reactivity in hydrolysis and ethanolysis. Vysokom.soed. 5 no.5:729-734 My '63. (MIRA 17:3)

1. Nauchno-issledovatel skiy institut gidroliznoy i sul'fitno-spir-tovoy promyshlennosti.

EATERS. Ta.A.: CHARMS, V.1.

Totarnimition of transport numbers in InCl2 aqueous solutions.
Vour. fiz. khim. 38 na.d:1645-1647 Fe t64. (MIRA 18:3)

1. Leningradskiy fiziko-tekhnicheskiy institut.




SHARIPOV, V.Sh., kandidat tekhnicheskikh nauk

Time utilization coefficient of core drills. Vest.AN Kazakh.SSR
11 no.10:66-74 0'55.

(Boring)


(Boring)



SHARIPOV, V.Sh.; SHRPELEV, S.F.

Scrubber-fan. Trudy Inst. gor. dela AN Kazakh. SSR 1:179-182 '56.

(Mine ventilation) (Air-Purification) (MIRA 11:1)



SHARIPOV, V.Sh., MUZGIN,S.S.

Use of trackless haulage at the Dzhezkazgan Mine. Izv.AN Kazakh.

SSR.Ser.gor.dela, met. i stroimat. no.11:118-122 '56.

(MIRA 10:1)


(Dzhezkazgan--Mine haulage)

SHARTOV, V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.Sh.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.S.; MUSIN. A.Ch.; MUZGIN, S.S.; LYSENKO, I.Z.; RADCHENKO, G.A.;
SHARTOV. V.S.; MUSIN. A.Ch.; MUSI

SHARIFOV, V.Sh.; KUNTUPOV, Yu.G.

An efficient diameter for blast holes. Izv. AN Kazakh. SSR. Ser.

An efficient diameter for blast no.2:82-87 '57. (MIRA 10:9)
gor. dela, met., stroi. i stroimat. no.2:82-87 '57. (MIRA 10:9)
(Blasting) (Boring)



SHARIPOV, V.Sh.

Main problems in the new underground mining techniques for


Main problems in the new underground mining techniques for

Kazakhatan mines. Izv. AN Kazakh. SSR. Ser. gor dela no.2:

(MTRA 12:10)

43-51 '58.

(Kazakhatan—Mining engineering—Costs) (Mining machinery)



SHARIPOV, Vakhit Sharipovich, kand.tekhn.nauk; KUNTUKOV, Yuriy Grigor'yevich, inzh.; MUZGIN, Sergey Spiridonovich, kand.tekhn.nauk; TKACHENKO, Artem Mikhaylovich; THET'YAKOV, Aleksey Mikhaylovich, inzh.; SHCHERBAK, Georgiy Sergeyevich, inzh.; TARASOV, L.Ya., red.; PARTSEVSKIY, V.N., red.izd-va; ATTOPOVICH, M.K., tekhn.red.

[Hole drilling equipment] Karetki i agregaty dlia bureniia shpurov. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po chernoi i tsvetnoi metallurgii, 1959. 134 p. (MIRA 12:+)

1. Institut gornogo dela AN KazSSR (for all except Tarasov, Partsev-skiy, Attapovich).

(Boring machinery)

SHARIPOV, V.Sh.


| Strip mining | Strip machinery | Strip mining of flat deposits with use of boring rigs. Izv. AH Eazakh. SSR. Ser. gor. dela no.1:55-57 '55'. (MIRA 12:9)

(Strip mining) (Boring machinery)

BUFEZHANOV, M.K.; SHARIPOV, V.Sh., kand.tekhn.nauk; MUZGIN, S.S., kand.tekhn.nauk

Railless mining machinery at the Dzhezkazgan mine. Gor.zhur.
no.1:60-63 Ja '59. (MIRA 12:1)

1. Direktor Dzhezkazganskogo rudoupravleniya (for Bupezhanov).
2. Institut gornogo dela AN KazSSR, Alma-Ata (for Sharipov,
Muzgin). (Dzhezkazgan-Mine haulage) (Mining machinery)



SHARIPOV, V.Sh.; KAZTBEKOV, D.M.

Use of self-propelled equipment in mining inclined deposits of the Mirgalimsai type. Izv. AN Kazakh. SSR. Ser. gor dela no.1:30-39
'60. (Mirgalimsai region--Ore deposits)

(Mining machinery)

SHARIPOV, V.Sh.; KOZHAKHMEDOV, D.B.

Determining the efficient carrying capacity and speed of underground, trackless haulage machines. Izv. AN Eazakh. SSR. Ser.gor.dela no.2: 76-87 '60.


(Mine haulage)


(Mine haulage)


SHARIPOV, V.Sh., kand.tekhn.nauk; MUZGIN, S.S., kand.tekhn.nauk; EUPEZHANOV,
M.K.

Experimental use of trackless, self-propelled machinery in the
Szhezkazgan Mine. Gor.zhur. no.3:41-44 Mr '60. (MIRA 14:5)

1. Institut gornogo dela AN KazSSR (for Sharipov, Muzgin).
2. Direktor Dzhezkazganskogo rudouprovleniya (for Bupezhanov)
(Dzhezkazgan region—Mining machinery)







SHARIPOV, A.A., assistant

Acute cholecystitis in childhood. Med. zhur. Uzb. no.4:37-38 Ap
(MIPA 14:5)

l. Iz kafedry gospital'noy khirurgii (zav. - prof. S.A.Masumov) lechebnogo fakul'teta Tashkentskogo gosudarstvennogo meditsinskogo instituta. (QAL BLADDER. DISEASES)

SHARIFOV, Akram Agzamovich; VERSHININ, T.I., red.

General N.V.Krisanov. Ferm' Fermskoe knizhnoe izd-vc,
1963. 50 p. (MIRA 17:5)

SHABITOV, A.A.

Obstruction of the common bile duct as an unusual result of a shraphol wound of the liver. Khirurgita 10 no.3;112-113 Mr *64. (MIRA 17:9)

l. Kafodra gospital'noy khururgii (ispolryajushchiy obyazannosti zaveduyushchago- dotsent S.M. Agzamkhodohayev) pediatrichaskogo fakulitsta Tashkentskogo meditsinskogo instituta.

CHIZHIKOV, D.M. (Moskva); SHARKOV, A.I. (Moskva); KITLER, I.N. (Moskva)

Interaction during the sintering of aluminum oxide and soda in the presence of reducing agents. Izv. AN SSSR. Met. i gor, delo no.1:51-57 Ja-F '64. (MIRA 17:4)

Relations between oil fields and petroleum equipment supply shops. Neftianik 1 no.9:29 S !56. (MLRA 9:11)

1. Neftepromysloe upravleniye Aksakovneft'. (Petroleum industry--Equipment and supplies)

SHARIPOV, A.Kh.; IMAYEV, M.G.; MAKSIMOVA, G.N.

Phthalic anhydride obtained by the vapor-phase oxidation of aromatic hydrocarbons from the fraction distilling at 145-850°C of a hydroforming unit. Neftekhimiia 2 no.3:359-361 My-Je '62. (MIRA 15:8)

1. Nauchno-issledovatel skiy institut neftekhimicheskikh proizvodstv, Ufa.
(Hydrocarbons) (Phthalic anhydride) (Petroleum-Refining)

s/152/63/000/001/002/002 B126/B186

Imayev, M. G., Sharipov, A. Kh., Fatkullina, N. S., Maksimova,

AUTHORS:

Vapor-phase oxidation to phthalic anhydride of phenol extracts G. N.

from treatment of oil fractions TITLE:

Izvestiya vysshikh uchebnykh zavedeniy. Neft' i gaz, no. 1,

TEXT: Phenol extracts, waste products after treatment of all fractions, were oxidized by atmospheric oxygen to phthalic anhydride over an industrial vanadium-potassium sulfate catalyst. Three extracts were used, one of which vallaurum-potaborum surrate causijo. Inied extrao west user, one of white contained about 20.3% by weight of monocyclic, 37.8% of bicyclic and 20% of polycyclic aromatics, and the two others each about 18.6%, 26% and 35% by weight of the above aromatics, respectively. The following optimum condiweight of the above aromatics, respectively. The fullowing optimum conditions were established: oxidation temperature 380 - 390°C, ratio of air to tions were established: oxidation temperature 280 - 2500 h⁻¹. The yield of raw material 245; 123 g/g, volume velocity 2000 - 2500 h⁻¹. phthalic anhydride obtained from the first extract was 28.9% by weight, from the second extract 22% and from the third 20%. To reduce coke deposition on the catalyst due to a tar content of about 3 to 5% in the phenol extracts,

Card 1/2

Card 2/

٤

_CIA-RDP86-00513R001548620

SHAPPEV. A.Ko., if TFV, Fall.

Link rider of potentic antiffring by diponse exidence of copylic hydrous has it consists get oil. 127. Vys. unbec.

200. meft of two blocks the FG. (MER 17.6)

L. Rationoulistance tellarily institut neffekhimicheskikh production for sakkittely go understvennyy universited imeni

GOLCYANEIKO, B.I.; SHARIPOV, A.Kh.

Vapor phase oxidation of dimethylnaphthalenes to phthalic anhydride. Zhur. VKHO 8 no.5:581 '63. (MIRA 17:1)

l. Nauchno-issledovatel'skiy institut neftekhimicheskikh proizvodstv.

GOLOVANENKO, B.I.; SHARIPOV, A.Kh.; IVANOVA, N.V.

Production of phthalic anhydride by oxidation of the extract of a low-viscosity oil distillate. Khim. i tekh. topl. i masel 8 no.10:9-13 0 '63. (MIRA 16:11)

SHARIPOV, A.En.; HETCTHERROVCHEMEO, V.G.

Operating sinking centr'fugal electric pumps in the Petroleum Production Administration of the October Petroleum Trust.

Nefteprom. delo no. 3:19-21 '64. (MIRA 17:5)

1. Neftepromyslovoye upravleniye "Oktyabr'skneft'.

Quantitative determination of leakage in a deep-well pump using a dynamograph. Nefteprom. delo no.7:39-42 '64.


1. Vsesoyuznyy neftegazovyy nauchno-issledovatel'skiy institut.

SHARIPOV, V. Sh.; KOZHAKHMEDOV, D.B.

Body design and unloading system for railless haulage
equipment in underground mining operations. Trudy Inst.
equipment in underground mining operations. (MIRA 14:6)

gor. dela AN Kazakh. SSR 7:122-129 '60.

(Mine haulage--Equipment and supplies)



SHARIPOV, Vakhit Sharipovich; MUZGIF, Sergey Spiridonovich; BUPEZHANOV, Mukhit Kuldzhanovich; TKACHENKO, Artem Mikhaylovich; ARTAMONOVSKIY, Oleg Yur'yevich; KULAKOV, Arkadiy Yakovlevich, Prinimali uchastiye: KAZYBEKOV, D.M.; IBRAYEV, Sh.I.; ISTOMIN, S.N., otv.red.; GEYMAN, L.M., red.izd-va; SIPYAGINA, Z.A., red.izd-va; SAL'TSOVSKIY, M.S., red.izd-va; MAKSIMOVA, V.V., tekhn. red.


[Self-propelled machines for underground workings of ore deposits] Samokhodnye mashiny dlia podzemnoi razrabotki rudnykh mestorozhdenii. By V.Sh.Sharipov i dr. Moskva, Gos.nauchno-tekhn.izd-vo lit-ry po gornomu delu, 1961. 258 p.

(Mining machinery)


BAYKONUROV, O.A.; SHARIPOV, V.Sh.


Evaluating the efficiency of mechanizing the production processes in underground mining. Trudy Inst.gor.dela AN Kazakh.SSR 8:81-86 (MIRA 15:4)

(Mining engineering-Equipment and supplies)



System of sublevel caving using self-propelled equipment to work pitching ore bodies (applicable to the Atasu Mine). Trudy Inst. gor.dela AN Kazakh.SSR 9:154-156 '62. (MIRA 15:8) (Atasu region—Mining engineering—Equipment and supplies)





YESHPANOV, D.O.; SHARIPOV, V.Sh.; FILIPPOV, V.K.; BISEMBAYEV, K.; KIM, G.S.

Breaking off ore with the use of self-propelled equipment at the Dzhezkazgan Mine. Trudy Inst. gor. dela AN Kazakh. SSR 13:73-77 '64. (MIRA 17:7)

SHARIPOV, V.Sh.; FI.APPOV, V.K.; ACTAMONOVSKIY, O. Yu.

Universal running gear for self-propelled mining machinery.

Trudy Inst. gor. dela AN Kazakh. SSR 13:93-97 '64.

(MIRA 17:7)

SHARIPOV, V.Sh.; KAZYBEKOV, D.M.

Determining the optimal length of panels in the mining of inclined discalinsacy-type deposits and using railless transportation equipment. Trudy Inst. gor. dela AN Kazakh.

SSR 13:163-167 '64. (MIRA 17:7)

SHARIFOV, V.Sh.; KAZYBEKOV, D.M.

Height of the level in mining inclined deposits with the use of self-

propelled equipment. Trudy Inst.gor.aels AN Kazakh.SSR 14:48-52 64. (MIRA 18:1)

SHARIPOV, V. Sh., CSa.

Basic parameters of drilling rigs for underground mining of thick one deposits. Budy 12 no.7/8:275-278 J1-Ag'64 (MTRA 17:8)

1. Institute of Mining, Academy of Sciences, Alma-Mia, U.S.S.R.

SHARIPOV, V.Sh.; KUNTUKOV, Yu.G.

Mechanization and automation of industrial processes, and remote control in the ore mining industry. Trudy Inst. gor. dela AN Kazakh. SSR 17:3-10 165. (MIRA 18:9)

PENTIN, Yu.A.; PANCHENKO, Yu.N.; TRESHCHOVA, Ye.G.; SHARIPOV, Z.

Study of the infrared absorption spectra and Raman spectra of dipropenyl and diallyl in the liquid and solid phase in relation to cis-trans isomerism. Opt. 1 spektr. 10 no. 1:55-62 Ja '61.

(Hexadiene--Spectra)

(Hexadiene--Spectra)

PENTIN, Yu.A.; SHARIPOV, Z.; KOTOVA, G.G.; KAMERNITSKIY, A.V.; AKHREM, A.A.

Spectroscopic investigation of the conformation equilibrium of onlorocyclohexane and bromocyclohexane. Zhur.strukt.khim. 4 no.2:194-200 Mr-Ap '63. (MIRA 16:5)

1. Moskovskiy gosudarstvennyy universitet imeni Lomonosova. (Cyclohexane--Spectra)

RUBANOV, I.V.; MIRAKHMEDOV, M.; SHARIPOVA, A.

Annydrite in recent sait deposits of the Carykamysh lakes. Dokl. AN SSSR 158 no.3:622-624 S 164. (MIRA 17:10)

l. Institut geologii i geofiziki im. Kh.M.Abdullayeva AN UzSSR. Predstavleno ałademikom N.M.Straknovym.

SHARIPOVA, F. S.: Master Chem Sci (diss) -- "Investigation of the ester oil of Turkestan wormwood (Artemisia dracuncucus L. ssp. Turkestanica Krasch)".

Alma-Ata, 1958. 9 pp (Acad Sci Kazakh SSR, Inst of Chem Sci), 150 copies

(KL, No 7, 1959, 122)

GORVAYEV, b. I.; SIEKEBAYEVA, T Ye.; SHAN PCV., F.I.: Vo.heVA, V.S.

Jasential cils of the genus Percyskia. Chur, Trikl.khim.
35 no.5:1142-1141 Ny '62.

(Essences and essential cils)

(Labiates)

GORYAYEV, M. I.; SHARIPOVA, F. S.

Study of the constituents of essential oils. Part 1: Oxidation of alloaromadendrene by perbenzoic acid and its brownination. Zhur. ob. khim. 33 no.1:299-303 '63. (MIRA 16:1)

1. Institut khimii AN Kazakhskoy SSR.

(Alloaromadendrene) (Peroxybenzoic acid) (Bromination)

OCTYAYEV, M.1.; SHALIFOVA, F.J.

Substances present in the composition of essential oils. Part 8:
Condenstation of alloaromadandrene with diazoacetic ester. Zhur.
ob. khim. 34 no.10:3422-3424 0 164.

(MIRA 17:11)

CIA-RDP86-00513R001548620001-4 "APPROVED FOR RELEASE: 08/23/2000

GORYAYEV, M.I.; SHARIPOVA, F.S. Study of the high boiling fraction of the essential oil Perovskia angustifolia. Izv. AN Kazakh. SSR. Ser.khim. no.1:112-118 '61.

(Essences and essential oils)

(MIRA 16:7)

USSR / Farm Animals: Small Horned Stock.

Q-3

Abs Jour: Ref Zhur-Biol., No 12, 1958, 54802.

: Sharipova, Kh. A. Author

: Not given. Inst

: Histological Data on the Solar Plexus of Karakul Title Sheep. Report I. Receptors of the Ganglia of

the Solar Plexus in the Karakul Sheep.

Orig Pub: Nauchn. tr. Uzb. s.-kh. in-ta, 1956, 10, 235-237.

Abstract: In the ganglia of the solar plexus of the adult Karakul sheep, the receptors are situated in the capsule of the bundle and between the layers of connective tissue, among the nerve cells and fibers. Certain sensory apparatuses are present not only in the capsules of the nerve cells, but are also in direct contact with the very cells.

Card 1/1

APPROVED FOR RELEASE; 08/23/2000 CIA-RDP86-00513R001548620001-4

Abs Jour: Ref Zhur-Liol., Ho 20, 1958, 92580.

Author : Sharipova, Kh. A.

: Uzbek Agricultural Institute. Thsu

: Date on the Mistolegy of the Solar Plexus of Karakul Title Sheep. Report 2. Mitotic Merve Cell Division in the Solar

Plexus Canglia of Mature Karakul Sheep.

Orig Pub: Mauchn. tr. Uzb. s.-kh. in-ta, 1956, 10, 239-241.

Mestract: Herve cells in various stages of mitosis were discovered in the soler plexus canclic of inture Karakul sheep. A light circle appears around the nucleus at the beginning of prophese due to the dissolution of the neurofibril. Metaphase images were subsequently observed. The daughter cells can be distinctly seen.

Cond : 1/1

GOL'DMAN, M.M.; ZHUCHKOV, N.D.; SOROKATYY, V.M.; SUBKHANBERDIN, S.Kh.; POTAFCV, V.M.; SHARIPOVA, M., red.

[New drugs Novye lekarstvennye preparaty. Alma-Ata, Izd-vo "Kazakhstan," 1965. 371 p. (MIRA18:8)

1. Zaveduyushchiy kafedroy farmatsevticheskikh distsiplin Alma-Atinskogo instituta usovershenstvovaniya vrachey (for Gol'dman).

RASHCHERKO, Ivan Nazar'yevich; SHARIFOVA, R.G., red.; TURADAYEV, B., tekhn. red.

[Processing and preservation of vegetables, and fruits under home conditions] Pererabotka i khranenie ovoshchei, plodov v domashnikh usloviiakh. Izd.2., dop. Alma-Ata, Kazgosizdat, 1963. 237 p. (MIRA 17:2)

PUDIVOK. A.N.; SHARIPOVA, N.B.

Addition of a hydrogen halides to piperylene and reactions of pentene halides. Zhur.ob.khim. 25 no.3:589-594 Mr '55. (MIRA 8:6)

1. Kazanskiy Gosudarstvennyy universitet. (Halides)(Piperylene)(Pentene)

CIA-RDP86-00513R001548620001-4 "APPROVED FOR RELEASE: 08/23/2000

USSR/Medicine - Physiology

FD-1331

Card 1/1

Pub. 33-1/25

Author

Title

Sharipova, R. R. and Zhukov, Ye. K.

Fire the second state of t : Concerning specialization of motor apparatus in mammals

Periodical

: Fiziol. zhur. 4, 445-452, Jul/Aug 1954

Abstract

: Neuro-muscular apparatus of m. quadriceps in cats and rabbits consists of two parts functioning in a different manner. The straight head fundamentally functions in the manner of tonus; the lateral head responds in the manner of tetanus to to excitation of its motor nerve. The difference between them is relative and apparently consists of degree of dissimilarity in their functional mobility. Their mobility is changeable to certain extent, offering possibility for re-formation of their activity. Graphs. Three Soviet and two non-Soviet references.

Institution : Chair of General Biology, Leningrad Medical Stomatological Institute

Submitted

July 9, 1,53

FD-2461

USSR/Medicine - Physiology

Card 1/1

Pub 33-12/24

Author

: Sharipova, R. R.

HERRITARIA POR CONTRACTOR DE LA CONTRACT

Title

: On the specialization of motor apparatus in mammals

Periodical: Fiziol. zhur. 2, 243-248, Mar-Apr 1955

Abstract

: The lateral part of the quadriceps femoris muscle in cats and in rabbits is adapted for fast tetanic contraction, while the triceps part is adapted for slow tonic contraction. The adaptation includes also the nerve centers: the center for the triceps part has a narrower functional range but greater resistance to fatigue than the center for the lateral part. Graphs. Two references, both USSR (since

1940).

Institution: Chair of General Biology of the Medical Stomatological Institute Len-

Submitted: July 9, 1953

SHARIPOVA, R.R.

Some data on larvae and nymph activity of Ixodes persulcatus Sch. in Kalinin Province region [with summary in English]. Med.paraz. i paraz.bol. 27 no.6:654-657 N-D '58. (MIRA 12:2)

1. Iz kafedry obshchey biologii Kalininskogo meditsinskogo instituta (dir. instituta A.N. Kushnev, ispolnyayushchiy obyazannosti zav. kafedroy G.V. Khomullo) i Kalininskoy oblastnoy sanitarno-epidemiologicheskoy stantsii (glavnyy vrach stantsii V.A. Lebedev). (TICKS,

Ixodes persulcatus larvae & nymphae distribution (Rus))

SHARIPOVA, R.R.

Activity of Ixodes persulcatus in Kalinin Province; preliminary report [with summary in English]. Med.paraz. i paraz.bolezn. 23 no.1:37-40 Ja-F '59. (MIRA 12:3)

1. Iz kafedry obshchey biologii Kalininskogo meditsinskogo instituta (dir. in-ta A.N. Kushnev, ispolnyayushchiy obyazannosti zav. kafedroy G.V. Khomullo) i oblastnoy sanitarno-epidemiologicheskoy stantsii (glavnyy vrach V.A. Lebedev).

(TICKS,

Ixodes parsulcatus (Rus))

SHARIPOVA, R.R.; LEBEDEVA, A.A.; GRIGOROVICH, L.S.

Search for hibernation sites of forest ticks of the genus Ixodes.

Med.paraz.i paraz.bol. 29 no.21207-211 160. (MIRA 13:12)

(TICKS) (HIEERNATION)

SHARIPOVA, R.R.

Parasitization of Siberian forest ticks Ixodes persulactus P. Sch. on wild animals in natural foci of tick-borne encephalitis in the Kalinin Province. Med.paraz.i paraz.bol. 29 no.3:268-270 '60. (MIRA 13:12)

(ENCEPHALITIS) (KALININ PROVINCE-TICKS)


APPROVED FOR RELEASE: 08/23/2000 CIA-RDP86-00513R001548620001-4"


TUMUR, B.; SADYKOV, A.S.; SHARIPOVA, Sh.

Condensation of N-methyl-O and O -aminoanabasine with malonic ester. Uzb. khim. zhur. 7 no.4:64-67 163.

(MIRA 16:19)

1. Tashkentskiy gosudarstvennyy universitet imeni Lenina.





s/226/63/000/002/003/014 A006/A101

AUTHOR:

Sharivker, S. Yu.

TITLE:

Determining the degree of homogenization in sintering by measuring

the microhardness

PERIODICAL:

Poroshkovaya metallurgiya, no. 2, 1963, 22 - 25

Measurement of microhardness was used to determine the degree of homogenization in sintering a nickel-ferrochrome composition. Specimens were prepared with 10, 15, 20 and 25% Cr content and 18 - 19% porosity. The specimens were sintered at 1,100 - 1,200°C. The degree of homogenization can be determined from microhardness values if the relation between the hardness of cast and microhardness of sintered materials can be specified. The difference between microhardness of pure Ni (101 kg/mm²) and Brinnel or Vikkers hardness of compact micronardness of pure NI (101 Ag/mm²) and Different obtained is $K_T = \frac{101}{73} = 1.38$. The Ni (73 kg/mm²) is calculated. The coefficient obtained is $K_T = \frac{101}{73} = 1.38$. dependence of the Cr content, diffused into the Ni base, upon the Cr content in the composition, and upon the sintering temperature, is determined. The data obtained make it possible to explain the dependence of the oxidizability of the

Card 1/2

Determining the degree of ...

S/226/63/000/002/003/014 A006/A101

nickel + ferrochrome composition on the ferrochrome content and the sintering temperature. The results are satisfactory and agree with Kornilov's literature data. There are 3 figures and 1 table.

ASSOCIATION: Proyektno-konstruktorsko-tekhnicheskiy institut Kiyevskogo


sovnarkhoza (Planning and Designing Technological Institute of the

Kiyev Sovnarkhoz)

SUBMITTED: June 20, 1962

Card 2/2

CIA-RDP86-00513R001548620001-4" APPROVED FOR RELEASE: 08/23/2000



L 26591-66

ACC NR: AP6011343

has been derived for the possibility of particle formation. Here r is the size of particle, Q is the quantity of carrier gas used, t_1 is the time spent by the particle in the nozzle, and t_2 the time required by the particle to reach the collector wall opposite the nozzle. A graph of t_2/t_1 versus Q for different particle sizes r is presented (see Fig. 1). The theoretical conclusions were tested experimentally on aluminum oxide powder. It was found that for $Q = 12.1 \times 10^{-5}$ m²/sec ($t_2/t_1 = 0.31$) practically all the powder was consolidated into particles of 0.3 to 1 mm. A schematic of the experimental apparatus and a photograph of the Al₂O₃ particles are presented.

Card 2/3